

DEALER CATALOGUE 2014



New design.

FIELD STRIKE



* Also Available as Field Core Version.

CONFIGURATIONS

	S/A	L/A	.50	.204 Ruger	.223 Rem	.22-250 Rem	.243 Win	.308 Win	.308 Win (M24)	.7mm Rem Mag	.300 Win Mag	.300 WSM	.338 Lapua	.375 Cheytac	.408 Cheytac	.50 BMG
Rem 700	X	X	X	X	X	X	X	X	X	X	X	X				
Savage 10-12-110	X	X	X	X	X	X	X			X	X	X				

* Other Platforms & Calibers Available Upon Request.

SPECIFICATIONS

.308

DIMENSIONS: 2" x 7.51" x 33.26"
[CORE ONLY: 2" x 5" x 23.30"]
WEIGHT: 4.76 LBS [CORE ONLY: 2.67 LBS]

.338

DIMENSIONS: 2" x 7.51" x 34.09"
[CORE ONLY: 2" x 5" x 24.13"]
WEIGHT: 4.83 LBS [CORE ONLY: 2.74 LBS]



Ultra-Stable Target Shooting Platform.



BLACK



TAN



OD GREEN



DUAL CANDY

New design.

URBAN STRIKE



* Also Available as Field Core Version.

CONFIGURATIONS

	S/A	L/A	.50	.204 Ruger	.223 Rem	.22-250 Rem	.243 Win	.308 Win	.308 Win (M24)	.7mm Rem Mag	.300 Win Mag	.300 WSM	.338 Lapua	.375 Cheytac	.408 Cheytac	.50 BMG
Rem 700	X	X	X	X	X	X	X	X	X	X	X	X				
Savage 10-12-110	X	X	X	X	X	X	X		X	X	X	X				

* Other Platforms & Calibers Available Upon Request.

SPECIFICATIONS

.308

DIMENSIONS: 2" x 7.51" x 32.99"
[CORE ONLY: 2" x 5" x 23.30"]
WEIGHT: 3.52 LBS [CORE ONLY: 2.67 LBS]

.338

DIMENSIONS: 2" x 7.51" x 33.85"
[CORE ONLY: 2" x 5" x 24.13"]
WEIGHT: 3.59 LBS [CORE ONLY: 2.73 LBS]



Compact Ultra-Light Shooting Platform.



BLACK



TAN



OD GREEN



DUAL CANDY

Ultimate Sniper System

LITE STRIKE



* Also Available as Life Core Version.

CONFIGURATIONS

	S/A	L/A	.50	.204 Ruger	.223 Rem	.22-250 Rem	.243 Win	.308 Win	.308 Win (M24)	.7mm Rem Mag	.300 Win Mag	.300 WSM	.338 Lapua	.375 Cheytac	.408 Cheytac	.50 BMG
Rem 700	X	X	X	X	X	X	X	X	X	X	X	X				
Savage 10-12-110	X	X	X	X	X	X	X	X	X	X	X	X				
PGWDTI		X										X				

* Other Platforms & Calibers Available Upon Request.

SPECIFICATIONS

.308

DIMENSIONS: 2" x 7.51" x 33.22"
 [FOLDED: 4.76" x 7.51" x 24.37"]
WEIGHT: 6.24 LBS

.338

DIMENSIONS: 2" x 7.51" x 34.05"
 [FOLDED: 4.76" x 7.51" x 25.19"]
WEIGHT: 6.39 LBS



1 pound Lighter Than Dual Strike Model.



BLACK



TAN



OD GREEN



DUAL CANDY

Ultimate Sniper System

DUAL STRIKE



Partner 
in **MISSION**

CONFIGURATIONS

	S/A	L/A	.50	.204 Ruger	.223 Rem	.22-250 Rem	.243 Win	.308 Win	.308 Win (M24)	.300 Rem Mag	.300 Win Mag	.300 WSM	.338 Lapua	.375 Cheytac	.408 Cheytac	.50 BMG
Rem 700	X	X	X	X	X	X	X	X	X	X	X	X				
Savage 10-12-110	X	X	X	X	X	X	X		X	X	X	X				
Mc Millan		X										X			X	
PGWDTI		X													X	
RangeMaster	X		X	X	X	X	X			X						
Stiller	X	X	X	X	X	X	X		X	X	X	X				
X-TREME		X										X				
SAKO TRG	X	X						X		X	X					
Surgeon	X	X	X	X	X	X	X		X	X	X					
CheyTac													X	X		
Defiance	X	X	X	X	X	X	X					X				
THOR	X	X					X					X				

* Other Platforms & Calibers Available Upon Request.

SPECIFICATIONS

.308

DIMENSIONS: 2.25" x 7.37" x 33.66"
[FOLDED: 4.92" x 7.36" x 24.76"]
WEIGHT: 7.27 LBS

.338

DIMENSIONS: 2.34" x 7.37" x 34.13"
[FOLDED: 4.68" x 7.36" x 25.27"]
WEIGHT: 7.43 LBS

.50

DIMENSIONS: 3.03" x 7.58" x 34"
[FOLDED: 5.07" x 7.59" x 24.76"]
WEIGHT: 8.15 LBS



UNITIZED SCOPE RING

Build your Own

Step 1

Choose your base model:



Base Models:

PART#	Height	Diameter	
1552-B30L	1.200"	30mm	LOW
1552-B30H	1.470"	30mm	HIGH
1552-B34L	1.200"	34mm	LOW
1552-B34H	1.470"	34mm	HIGH

- Rock solid mount with steel cross lug and nuts.

- Fit all MIL STD M1913 rails.

- CNC machined for precise alignment of sniper optics.

Optional reducer kit



* Other scope heights and ring diameters upon request.



Step 2

Choose your Rear Top:

STANDARD REAR



R130 (30mm)
R134 (34mm)

BUBBLE LEVEL REAR



R230 (30mm)
R234 (34mm)

Step 3

Choose your Front Top:

STANDARD FRONT



F130 (30mm)
F134 (34mm)

TOP RAIL HIGH OR LOW FRONT



F230L (30mm) | F230H (30mm)
F234L (34mm) | F234H (34mm)

SIDE RAIL FRONT



F330 (30mm)
F334 (34mm)

DOCTOR MOUNT + SIMRAD FRONT




F430 (30mm)
F434 (34mm)

MOE Configuration

PRS Configuration

Optional MOE cheek rest 0.75"



MULTI-CALIBER MAGAZINES



- Military grade magazines.
- Solid anti-corrosion coating.
- Rigid steel mag body.
- Easy to clean.
- Fit specialty calibers such as:
6.8 SPC, 300 Black out/Whisper,
260 REM, 6.5 Grendel/Creedmoor,
6.5x47 Lapua.

* 223 Magazine fit also .204 Ruger, 6.8 SPC

* 308 Magazines fit also .22-250 Rem, .243 Win, .260 Rem

* 300 Magazines fit also 7mm Rem Mag

Models:

Part #	CALIBER	ACTION	TYPE	LENGHT	CAPACITY	
MAG100-0037	.223 REM	SHORT	DS SF	3.055	10	Accu-mag
MAG100-0041	.308 WIN	SHORT	DS SF	3.055	5	
MAG100-0040	.308 WIN	SHORT	DS SF	3.055	10	
MAG100-0008	.300 WSM	SHORT	DS SF	3.055	7	
MAG100-0023	.300 WIN	LONG	SS SF	3.850	5	
MAG100-0004	.300 WIN	LONG	SS SF	3.775	5	
MAG100-0022	.338 LAP	LONG	SS SF	3.850	5	
MAG100-0005	.338 LAP	LONG	SS SF	3.775	5	
MAG2538S	.50 BMG	.50	SS SF	5.790	5	
MAG2538D	.50 BMG	.50	DS SF	5.790	5	

* Actual product might differ.

PICATINNY RAILS

- Also available as modular recoil rail version.
- Ultra-solid 6061-T6 aluminum.
- Mil Std M1913.



5"
PART#: 03127-A017

3"
PART#: 03127-A078



* Fit Cadex Strike Chassis and Cadex 670 modular fore-end guard pump.

RUBBERIZED GRIPS

- Ergonomic design.
- Finger grooved for comfort.



SMALL
PART#: 175-00023

STANDARD
PART#: 175-00003

* Fit Cadex Strike Chassis.

SLING MOUNTS

VTAC L.U.S.A.
4 POINT SLING
ADAPTER
Part#: 1398



PICATINNY SLING
ADAPTER
Part#: 1757



FLUSH CUP
SLING ADAPTER
Part#: 03127-A174



* DESIGNED AND PRODUCED
BY CADEX INC,
EXCLUSIVITY OEM TO
VIKING TACTICS.



STUD 1/4-28
Part#: 03127-321

STUD 10-32
Part#: 03127-322

RECOIL RAIL



Part#: RR-2337

- Returns the electro-optic to its original position after firing.
- Increase life expectancy of Electro-Optic devices.
- Available for different recoil force requirements.
- Custom interfaces available for a variety of devices.

Absorbs 30% of peak
recoil force



SHOTGUN ACCESSORIES

For Remington 870 model



BUTT ADAPTOR

Part#: LB-1486



- Switch between combat / breaching mode.
- 2 in 1 shotgun configurations.
- Positive locking push button.

SPECIFICATIONS

DIMENSIONS: 1.35" x 3.23" x 4.42"
WEIGHT: 0.61 LBS

TOP RAIL

Part#: 1486-A010



- Mil STD M1913 complete rail.
- Unlimited optic mounting possibilities.
- Perfect for red dot / flashlight / laser
- 2 accessory side rails included.

SPECIFICATIONS

DIMENSIONS: 2.14" x 1.55" x 24.14"
WEIGHT: 0.61 LBS

MODULAR FORE-END GUARD PUMP

Part#: 4197



- Easy retrofit installation.
- Ergonomic design.
- Allow side, bottom angled rails.
- Sold with or without rails.

SPECIFICATIONS

DIMENSIONS: 7.02" x 2.42" x 1.86"
WEIGHT: 0.64 LBS

MAG CAP DUAL RAIL

Part#: 1486-A012



- Easy installation without modification.
- Dual accessory side rails.
- Allows laser and flashlight forward mounting.

SPECIFICATIONS

DIMENSIONS: 1.96" x 2.1" x 2.73"
WEIGHT: 0.22 LBS

STUBBY & FOLDING GRIPS

- Rattleproof self draining compartment for CR123 batteries.
- Solid.
- Lightweight.
- Compact.
- Ambidextrious.



STUBBY GRIP
PART#: 1979

FOLDING GRIP
PART#: 622-000

SPECIFICATIONS

FOLDING

DIMENSIONS: 2.81" x 1.67" x 5.62"
[FOLDED: 2.58" x 1.67" x 5.73"]
WEIGHT: 0.28 LBS

STUBBY

DIMENSIONS: 2.81" x 1.67" x 3.85"
WEIGHT: 0.18 LBS

* All grips available in Black, OD Green and Tan



HAND STOP

PART#: 1164



- Lead hand stopper.
- Faster cycling on pump shotguns.
- Maximum control on rapid fire.
- Better muzzle jump control.

SPECIFICATIONS

HAND STOP

DIMENSIONS: 1.56" x 0.66" x 1.75"
WEIGHT: 0.08 LBS



RED-DOT/FLASHLIGHT MOUNT

- Solid lightweight interface.
- 30° offset sight positioning.
- Place sight at 1 or 11 O'clock.
- Place flashlight at 5 or 7 O'clock.
- Ambidextrious.

RED-DOT/FLASHLIGHT
MOUNT
Part#: 1580



FLASHLIGHT
MOUNT
Part#: 1580-A002

SPECIFICATIONS

RED-DOT/FLASHLIGHT MOUNT

DIMENSIONS: 1.92" x 1.73" x 3.68"
[W/O RED-DOT: 1.57" x 1.70" x 2.55"]
WEIGHT: 0.26 LBS

PICATINNY RAILS

6"
Part#: CMR-418-02

4.2"
Part#: CMR-418-01



- Top or bottom handguard installation.
- 0.9° angle correction.
- Multiple mounting points.

SPECIFICATIONS

6" PICATINNY RAIL

DIMENSIONS: 6.00" x 0.83" x 0.56"
WEIGHT: 0.09 LBS

SPECIFICATIONS

4.2" PICATINNY RAIL

DIMENSIONS: 4.19" x 0.83" x 0.56"
WEIGHT: 0.07 LBS

CDX-10

PART#: 1570-003



SPECIFICATIONS

AR10

DIMENSIONS: 1.59" x 1.03" x 8.96"
WEIGHT: 0.74 LBS

- Interchangeable with high quality AR10 parts.
- Large extended mag well.
- Oversized trigger guard.

CDX-15

Part#: 1570-001



SPECIFICATIONS

AR15

DIMENSIONS: 1.45" x 4.11" x 7.69"
WEIGHT: 0.74 LBS

- Interchangeable with high quality AR15 parts.
- Large extended mag well.
- Oversized trigger guard.

GLASS PUNCH



TRI-RAIL MOUNT



PART#: 1185

- Intergrated spring loaded mecanism.
- Allows free hand operation.
- Installs on Mil Std M1913 front rail.

SPECIFICATIONS

GLASS PUNCH

DIMENSIONS: 1.68" x 1.03" x 7.27"
WEIGHT: 0.36 LBS



Part#: 1220

- 3, 6 and 9 O'clock rails.
- No modification required.
- Possibility to remove unused rails.
- Fits C7/C8, M4/M16.

SPECIFICATIONS

TRI-RAIL MOUNT

DIMENSIONS: 2.84" x 2.86"
WEIGHT: 0.36 LBS

CADDEX

THE SPECIALIST ★ ★ ★



755 Avenue Montrichard
St-Jean-sur-Richelieu, Qc
[Canada] J2X 5K8
tel: 450.348.6774
Fax: 450.348.7157
www.cadexdefence.com

